



# Seeing is Believing.

Participate in a **hands-on workshop** designed around **you**.

## Hands-on workshop includes:

- Endoscopic tower with EMR / ESD instruments
- An ex vivo tissue simulation model
- Ability to inject Elevview™ and simulate EMR



**Date:** December 1, 2018

**Time:** 5:30 PM

**Location:** JW Marriott Hotel  
Nashville, TN  
ACG Southern Regional Postgraduate Course  
2nd Floor : Emory Room

**RSVP:** Shelly Kilcran  
skilcran@aries-pharma.com  
(502) 777-4774

Contains  
Methylene  
Blue



### INDICATIONS FOR USE

Elevview™ submucosal injectable composition is intended for use in gastrointestinal endoscopic procedures for submucosal lift of polyps, adenomas, early-stage cancers, or other gastrointestinal mucosal lesions, prior to excision with a snare or endoscopic

### WARNINGS AND PRECAUTIONS

- The safety of Elevview™ has not been established in pregnant or lactating women, or children under 18 years of age.
- Elevview™ should not be reused after the first opening. Any emulsion not injected during the procedure should not be reused for another endoscopic procedure.

### WARNINGS AND PRECAUTIONS, CONTINUED

- Do not use if the ampoule, aluminum pouch, or twist-off cap is damaged.
- Do not use if the emulsion is not clear, shows any signs of opalescence, or contains floating or precipitated particles.

### CONTRAINDICATIONS

- Patients with known sensitivity to any of the components contained in Elevview™.

### ADVERSE REACTIONS

Rarely, local bleeding and/or inflammatory reaction could occur which may or may not be associated with Elevview™.



Aries Pharmaceuticals, Inc. | The Towers South 9276 Scranton Road, Suite 600 San Diego, CA 92121  
888-ARIES-08 888-274-3708 | info@aries-pharma.com | aries-pharma.comelevviewUS.com